

Lic.#

## Certificate of Analysis

Powered by Confident LIMS 1 of 3

VIBE RITE, LLC

12515 E 55th St. Tulsa, OK 74146 goodvibes@getmyviberite.com (918) 896-2101

Sample: 2401GNL0317.1689

Strain: VIBE RITE HYBIRD

Batch#:; Batch Size: g

Sample Collected: 01/27/2024; Sample Received: 01/30/2024; Report Created: 02/26/2024

Sampling: ; Environment:

### VIBERITE HYBIRD

Plant, Flower - Cured

Harvest Process Lot: ; METRC Batch: ; METRC Sample:





### Safety

Pass **Pesticides** 

**Pass** Microbials **Not Tested** 

**Mycotoxins** 

**Not Tested** Solvents

**Pass** Metals **Pass** 

Foreign Matter

Potency (HPLC; GL-MSOP-01)
Date Tested: 01/31/2024

5.63% Total THC

10.47% **Total CBD** 

**Pass** Moisture

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.01	6.42	64.2
Δ9-ΤΗС	0.01	ND	ND
Δ8-ΤΗС	0.00	ND	ND
THCV	0.00	ND	ND
CBDa	0.01	11.48	114.8
CBD	0.01	0.40	4.0
CBDV	0.00	ND	ND
CBN	0.01	ND	ND
CBGa	0.00	0.56	5.6
CBG	0.00	ND	ND
CBC	0.00	ND	ND
Total		18.86	188.6

Terpenes (GC-MS; GL-MSOP-03)

Date Tested: 01/30/2024







Analyte	LOQ	Mass	Mass
	PPM	PPM	%
β-Caryophyllene	50.00	2055.12	0.21
α-Humulene	50.00	1075.06	0.11
α-Bisabolol	50.00	1050.50	0.11
Caryophyllene Oxide	50.00	947.56	0.09
Guaiol	50.00	519.46	0.05
Terpinolene	50.00	253.22	0.03
β-Myrcene	50.00	184.64	0.02
α-Terpinene	50.00	146.73	0.01
β-Pinene	50.00	135.74	0.01
y-Terpinene	50.00	122.22	0.01
α-Pinene	50.00	117.89	0.01
Eucalyptol	50.00	99.32	0.01
Camphene	50.00	80.62	0.01
cis-Ocimene	500.00	<500.00	< 0.05
δ-3-Carene	50.00	<50.00	< 0.01
Geraniol	500.00	<500.00	< 0.05
Isopulegol	50.00	<50.00	< 0.01
Limonene	50.00	<50.00	< 0.01
Linalool	50.00	<50.00	< 0.01
Nerolidol	1000.00	ND	ND
Phytol	50.00	<50.00	< 0.01
p-Cymene	50.00	<50.00	< 0.01
trans-Ocimene	500.00	<500.00	< 0.05
Total		6788.07	0.68

Total THC = THCa \*  $0.877 + \Delta 9$ -THC; Total CBD = CBDa \* 0.877 + CBD; Results are being calculated on an as-received basis. Potency method: (HPLC; GL-MSOP-01); Moisture Content method (GL-MSOP-09; Water Activity method (GL-MSOP-10); Foreign Material method (Microscope; GL-MSOP-06)

610 Dewey Ave, Poteau, OK (918) 564-2760 https://greenleaf-labs.com/ Lic# LAAA-MP4O-T1EE



Phytol=Not Tested Notes:

Jennifer Hobbs Laboratory Director

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



NT = Not Tested, ND = Not Detected. LOD (limit of detection) and LOQ (limit of quantification) are parameters employed to express the lowest concentration of an analyte that can be reliably detected and quantified by an analytical procedure. Results are based on OMMA decision rules. This report shall not be reproduced, except in full, without the written consent of Green Leaf Labs.



Lic.#

# Certificate of Analysis

Powered by Confident LIMS 2 of 3

VIBE RITE, LLC

12515 E 55th St. Tulsa, OK 74146 goodvibes@getmyviberite.com (918) 896-2101 Sample: 2401GNL0317.1689

Strain: VIBE RITE HYBIRD

Batch#: ; Batch Size: g

Sample Collected: 01/27/2024; Sample Received: 01/30/2024; Report Created: 02/26/2024

Sampling: ; Environment:

### VIBE RITE HYBIRD

Plant, Flower - Cured

Harvest Process Lot: ; METRC Batch: ; METRC Sample:



PPM	Pesticides (LC-MS/MS; GL-MSOP-04)				
Abamectin         0.100         0.500         ND         P           Avermectin-B1a         0.100         ND         Tes           Avermectin-B1b         0.041         ND         Tes           Azoxystrobin         0.100         0.200         ND         P           Bifenazate         0.093         0.200         ND         P           cis-Permethrin         0.058         ND         Tes           Etoxazole         0.100         0.200         ND         P           Imazalil         0.100         0.200         ND         P           Imidacloprid         0.100         0.400         ND         P           Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosyn A         0.100         0.200         ND         Tes           Spinosyn D         0.100         0.200         ND         P           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND		LOQ	Limit	Mass	Status
Avermectin-B1a         0.100         ND         Tes           Avermectin-B1b         0.041         ND         Tes           Azoxystrobin         0.100         0.200         ND         P           Bifenazate         0.093         0.200         ND         P           cis-Permethrin         0.058         ND         Tes           Etoxazole         0.100         0.200         ND         P           Imazalil         0.100         0.200         ND         P           Imidacloprid         0.100         0.400         ND         P           Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         0.200         ND         P           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P <td></td> <td>PPM</td> <td>PPM</td> <td>PPM</td> <td></td>		PPM	PPM	PPM	
Avermectin-B1b         0.041         ND         Tes           Azoxystrobin         0.100         0.200         ND         P           Bifenazate         0.093         0.200         ND         P           cis-Permethrin         0.058         ND         Tes           Etoxazole         0.100         0.200         ND         P           Imazalil         0.100         0.200         ND         P           Imidacloprid         0.100         0.400         ND         P           Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spirosyn D         0.100         0.200         ND         P           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Abamectin	0.100	0.500	ND	Pass
Azoxystrobin         0.100         0.200         ND         P           Bifenazate         0.093         0.200         ND         P           cis-Permethrin         0.058         ND         Tes           Etoxazole         0.100         0.200         ND         P           Imazalil         0.100         0.200         ND         P           Imidacloprid         0.100         0.400         ND         P           Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         0.200         ND         P           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Avermectin-B1a	0.100		ND	Tested
Bifenazate         0.093         0.200         ND         P           cis-Permethrin         0.058         ND         Tes           Etoxazole         0.100         0.200         ND         P           Imazalil         0.100         0.200         ND         P           Imidacloprid         0.100         0.400         ND         P           Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         0.200         ND         P           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Avermectin-B1b	0.041		ND	Tested
cis-Permethrin         0.058         ND         Tes           Etoxazole         0.100         0.200         ND         P           Imazalil         0.100         0.200         ND         P           Imidacloprid         0.100         0.400         ND         P           Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Azoxystrobin	0.100	0.200	ND	Pass
Etoxazole         0.100         0.200         ND         P           Imazalil         0.100         0.200         ND         P           Imidacloprid         0.100         0.400         ND         P           Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         ND         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Bifenazate	0.093	0.200	ND	Pass
Imazalil	cis-Permethrin	0.058		ND	Tested
Imidacloprid         0.100         0.400         ND         P           Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Etoxazole	0.100	0.200	ND	Pass
Malathion         0.100         0.200         ND         P           Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Imazalil	0.100	0.200	ND	Pass
Myclobutanil         0.100         0.200         ND         P           Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Imidacloprid	0.100	0.400	ND	Pass
Permethrins         0.004         0.200         ND         P           Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Malathion	0.100	0.200	ND	Pass
Spinosad         0.100         0.200         ND         P           Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Myclobutanil	0.100	0.200	ND	Pass
Spinosyn A         0.100         ND         Tes           Spinosyn D         0.100         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Permethrins	0.004	0.200	ND	Pass
Spinosyn D         0.100         ND         Tes           Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Spinosad	0.100	0.200	ND	Pass
Spiromesifen         0.100         0.200         ND         P           Spirotetramat         0.100         0.200         ND         P	Spinosyn A	0.100		ND	Tested
Spirotetramat 0.100 0.200 ND P	Spinosyn D	0.100		ND	Tested
	Spiromesifen	0.100	0.200	ND	Pass
Tebuconazole 0.100 0.400 ND P	Spirotetramat	0.100	0.200	ND	Pass
	Tebuconazole	0.100	0.400	ND	Pass
Trans Permethrin 0.100 ND Tes	Trans Permethrin	0.100		ND	Tested

Microbiology (qPCR; GL-MSOP-08) Date Tested: 01/31/2024			Pass
Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aspergillus flavus	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Salmonella	1	ND	Pass
Shiga Toxin E. Coli	1	ND	Pass
Yeast & Mold	10000	724	Pass

Microbiology method (qPCR; GL-MSOP-08)

Solvents (GC-MS; GL-MSOP-02)			Not Tested		
Date Tested:					
Analyte	LOQ	Limit	Mass	Status	

Heavy Metals (ICP-MS; GL-MSOP-07)				
Date Tested: 01/30/2024 Analyte	4 LOQ	Limit	Mass	Status
_	PPB	PPB	PPB	
Arsenic	0	200	37	Pass
Cadmium	0	200	ND	Pass
Lead	0	500	264	Pass
Mercury	0	100	5	Pass

Mycotoxins (	LC-MS/MS	; GL-MSOF	P-05) Not	Tested
Date Tested:				
Analyte	LOQ	Limit	Mass	Status

Heavy Metals method (ICP-MS; GL-MSOP-07)

610 Dewey Ave, Poteau, OK (918) 564-2760 https://greenleaf-labs.com/ Lic# LAAA-MP4O-T1EE



Junifu Hobbs

Jennifer Hobbs Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



NT = Not Tested, ND = Not Detected. LOD (limit of detection) and LOQ (limit of quantification) are parameters employed to express the lowest concentration of an analyte that can be reliably detected and quantified by an analytical procedure. Results are based on OMMA decision rules. This report shall not be reproduced, except in full, without the written consent of Green Leaf Labs.



Lic.#

## Certificate of Analysis

Powered by Confident LIMS 3 of 3

VIBE RITE, LLC

12515 E 55th St. Tulsa, OK 74146 goodvibes@getmyviberite.com (918) 896-2101 Sample: 2401GNL0317.1689

Strain: VIBE RITE HYBIRD

Batch#: ; Batch Size: g

Sample Collected: 01/27/2024; Sample Received: 01/30/2024; Report Created: 02/26/2024

Sampling: ; Environment:

#### VIBERITE HYBIRD

Plant, Flower - Cured

Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Water Activity Pass

0.344 aw

0.65 Limit

Water Activity



610 Dewey Ave, Poteau, OK (918) 564-2760 https://greenleaf-labs.com/ Lic# LAAA-MP4O-T1EE



Jennifu Hobbs

Jennifer Hobbs Laboratory Director Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



NT = Not Tested, ND = Not Detected. LOD (limit of detection) and LOQ (limit of quantification) are parameters employed to express the lowest concentration of an analyte that can be reliably detected and quantified by an analytical procedure. Results are based on OMMA decision rules. This report shall not be reproduced, except in full, without the written consent of Green Leaf Labs.